

## Batch:

21490030

User:	5	Supervisor
Product:	3	Ampoules. 5ml
Batch:	12345	56
Notes:		

23 November 2015 06:52:16

## Date Time

 Starting date:
 23/11/2015
 6:52:14 AM

 Ending date:
 23/11/2015
 6:52:15 AM

## Counters:

INSPECTED	1177		
ACCEPTED	629	53.44	%
REJECTED	477	40.53	%
TECNICAL REJECT	71	6.03	%

## Reject details:

ST0	AVAILABLE		ON
Totals:	15	1.27	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	15	1.27	%
Colour Rings	0	0.00	%
ST1	AVAIL	ABLE	ON
Totals:	80	6.80	%
Single Particles	53	4.50	%
Total Particles	79	6.71	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAIL	ABLE	ON
Totals:	94	7.99	%
Single Particles	54	4.59	%
Total Particles	93	7.90	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	1	0.08	%
Still Particles	1	0.08	%
Tot. Still Particles	1	0.08	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	183	15.55	%
Single Particles	97	8.24	%
Total Particles	180	15.29	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	ILABLE	OFF
ST5 Totals:	NOT AVA	ILABLE 0.00	OFF %
	NOT AVA		
	0 0 0	0.00	%
	0 0 0 0	0.00	% %

LKD counters			
LKD1			ON
Totals:	5	0.42	%
LKD2			ON
Totals:	321	27.27	%

Approved by:	Verified by:
--------------	--------------