

Batch:

21490035

User:	5	Supervisor
Product:	12	10ml in 20ml Vial
Batch:	knapp	os batch
Notes:		

18 December 2015 11:51:07

Date Time

Starting date:	18/12/2015	10:07:49 AM
Ending date:	18/12/2015	11:51:06 AM

Counters:

INSPECTED	259		
ACCEPTED	158	61.00	%
REJECTED	101	39.00	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	3	1.16	%
Min Still particles	2	0.77	%
Tot. Still Particles	3	1.16	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	28	10.81	%
Aluseal Area	0	0.00	%
Crimping	21	8.11	%
	13	5.02	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	75	28.96	%
Single Particles	54	20.85	%
Total Particles	75	28.96	%
	0	0.00	%
Fill Level	0	0.00	%

ST4	AVAILABLE		ON
Totals:	66	25.48	%
Single Particles	54	20.85	%
Total Particles	65	25.10	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL		ON
ST5 Totals:	AVAIL/		
		ABLE	ON
Totals:	34	ABLE 13.13	ON %
<i>Totals:</i> Single Particles	34 34	ABLE 13.13 13.13	<i>ON</i> %

Approved by:	Verified by:	
--------------	--------------	--