

User:	1	robj
Product:	2	Production 2ml
Batch:	mag sulfate 2ml test	
Notes:		

15 November 2016 14:03:43

### Date Time

Starting date:	<b>15/11/2016</b>	2:03:41 PM
Ending date:	<b>15/11/2016</b>	2:03:42 PM

### Counters:

INSPECTED	<b>347</b>		
ACCEPTED	<b>212</b>	61.10	%
REJECTED	<b>92</b>	26.51	%
TECNICAL REJECT	<b>43</b>	12.39	%

### Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	61	17.58	%
Height	2	0.58	%
Shape	2	0.58	%
Black Spot	61	17.58	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	23	6.63	%
Single Particles	1	0.29	%
Total Particles	1	0.29	%
	0	0.00	%
Fill Level	22	6.34	%
ST2	AVAILABLE		ON
<i>Totals:</i>	7	2.02	%
Single Particles	3	0.86	%
Total Particles	7	2.02	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	5	1.44	%
Single Particles	1	0.29	%
Total Particles	5	1.44	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	1	0.29	%
LKD2			ON
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: