

## Batch:

21490035

| User:    | 1 | adamb            |
|----------|---|------------------|
| Product: | 4 | 100ml Production |
| Batch:   |   |                  |
| Notes:   |   |                  |
|          |   |                  |
|          |   |                  |

19 December 2016 10:59:54

## Date Time

 Starting date:
 19/12/2016
 10:59:36 AM

 Ending date:
 19/12/2016
 10:59:54 AM

## Counters:

| INSPECTED        | Λ |      |   |
|------------------|---|------|---|
| INSPECTED        | U |      |   |
| ACCEPTED         | 0 | 0.00 | % |
| REJECTED         | 0 | 0.00 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

## Reject details:

| ST0                  | NOT AVAILABLE |      | OFF |
|----------------------|---------------|------|-----|
| Totals:              | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
| ST1                  | AVAILABLE     |      | ON  |
| Totals:              | 0             | 0.00 | %   |
| Min Still particles  | 0             | 0.00 | %   |
| Tot. Still Particles | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
| ST2                  | AVAILABLE     |      | ON  |
| Totals:              | 0             | 0.00 | %   |
| Flip-off             | 0             | 0.00 | %   |
| Aluseal Area         | 0             | 0.00 | %   |
| Crimping             | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
| ST3                  | AVAILABLE     |      | ON  |
| Totals:              | 0             | 0.00 | %   |
| Single Particles     | 0             | 0.00 | %   |
| Total Particles      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
| Fill Level           | 0             | 0.00 | %   |

| ST4                             | AVAILABLE        |              | ON      |
|---------------------------------|------------------|--------------|---------|
| Totals:                         | 0                | 0.00         | %       |
| Single Particles                | 0                | 0.00         | %       |
| Total Particles                 | 0                | 0.00         | %       |
|                                 | 0                | 0.00         | %       |
|                                 | 0                | 0.00         | %       |
|                                 |                  |              |         |
| ST5                             | AVAIL            | ABLE         | ON      |
| ST5 Totals:                     | AVAIL/           | ABLE<br>0.00 | ON<br>% |
|                                 | AVAILA<br>0<br>0 |              |         |
| Totals:                         | 0                | 0.00         | %       |
| <i>Totals:</i> Single Particles | 0                | 0.00         | %<br>%  |

| Approved by: | Verified by: |  |
|--------------|--------------|--|
|--------------|--------------|--|