

Batch:

21490035

User:	1	markw
Product:	3	50ml Production
Batch:	Challe	enge 1234603
Notes:		

20 June 2020 17:24:14

Date Time

Starting date:	20/06/2020	17:23:10
Ending date:	20/06/2020	17:24:13

Counters:

INSPECTED	15		
ACCEPTED	5	33.33	%
REJECTED	10	66.67	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	3	20.00	%
Min Still particles	3	20.00	%
Tot. Still Particles	3	20.00	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	5	33.33	%
Flip-off	3	20.00	%
Aluseal Area	3	20.00	%
Crimping	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	5	33.33	%
Single Particles	4	26.67	%
Total Particles	4	26.67	%
	0	0.00	%
Fill Level	1	6.67	%

ST4	AVAILABLE		ON
Totals:	4	26.67	%
Single Particles	4	26.67	%
Total Particles	4	26.67	%
	0	0.00	%
	0	0.00	%
ST5	AVAILA		ON
ST5 Totals:	AVAIL/		
		ABLE	ON
Totals:	3	ABLE 20.00	ON %
<i>Totals:</i> Single Particles	3	ABLE 20.00 20.00	<i>ON</i> %

Approved by:	Verified by:	
--------------	--------------	--