

Batch:

21490035

User:	1	yvie
Product:	3	50ml Production
Batch:	Challe	enge 1910238
Notes:		

25 October 2019 08:22:57

Date Time

 Starting date:
 25/10/2019
 08:22:57

 Ending date:
 25/10/2019
 08:22:57

Counters:

INSPECTED	17		
ACCEPTED	6	35.29	%
REJECTED	11	64.71	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	4	23.53	%
Min Still particles	4	23.53	%
Tot. Still Particles	3	17.65	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	5	29.41	%
Flip-off	4	23.53	%
Aluseal Area	1	5.88	%
Crimping	2	11.76	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	5	29.41	%
Single Particles	3	17.65	%
Total Particles	4	23.53	%
	0	0.00	%
Fill Level	1	5.88	%

ST4	AVAILABLE		ON
Totals:	4	23.53	%
Single Particles	4	23.53	%
Total Particles	4	23.53	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	ABLE 23.53	ON %
	AVAILA 4 4		
Totals:	4	23.53	%
<i>Totals:</i> Single Particles	4	23.53 23.53	%

Approved by:	Verified by:	
--------------	--------------	--