

User:	1	kevc
Product:	2	Production 2ml
Batch:	challenge 1709125	
Notes:		

09 October 2017 11:19:55

Date Time

Starting date:	09/10/2017	11:04:28 AM
Ending date:	09/10/2017	11:19:55 AM

Counters:

INSPECTED	21		
ACCEPTED	3	14.29	%
REJECTED	18	85.71	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	2	9.52	%
Height	0	0.00	%
Shape	2	9.52	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	7	33.33	%
Single Particles	5	23.81	%
Total Particles	6	28.57	%
	0	0.00	%
Fill Level	1	4.76	%
ST2	AVAILABLE		ON
<i>Totals:</i>	14	66.67	%
Single Particles	12	57.14	%
Total Particles	14	66.67	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	2	9.52	%
Still Particles	2	9.52	%
Tot. Still Particles	2	9.52	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	13	61.90	%
Single Particles	13	61.90	%
Total Particles	13	61.90	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	1	4.76	%
LKD2			ON
<i>Totals:</i>	1	4.76	%

Approved by:

Verified by: