

Batch:

21490035

| User: | 1 | adamb |
|----------|--------|-----------------|
| Product: | 2 | 20ml Production |
| Batch: | challe | nge 1809088 |
| Notes: | | |
| | | |
| | | |

26 September 2018 08:52:51

Date Time

 Starting date:
 26/09/2018
 08:51:11

 Ending date:
 26/09/2018
 08:52:51

Counters:

| INSPECTED | 15 | | |
|------------------|----|-------|---|
| ACCEPTED | 3 | 20.00 | % |
| REJECTED | 12 | 80.00 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|-------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 4 | 26.67 | % |
| Min Still particles | 3 | 20.00 | % |
| Tot. Still Particles | 4 | 26.67 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 7 | 46.67 | % |
| Flip-off | 7 | 46.67 | % |
| Aluseal Area | 2 | 13.33 | % |
| Crimping | 2 | 13.33 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 12 | 80.00 | % |
| Single Particles | 5 | 33.33 | % |
| Total Particles | 7 | 46.67 | % |
| | 0 | 0.00 | % |
| Fill Level | 10 | 66.67 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|-----------|----------------|-------------|
| Totals: | 6 | 40.00 | % |
| Single Particles | 6 | 40.00 | % |
| Total Particles | 6 | 40.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | | ON |
| ST5 Totals: | AVAIL/ | | |
| | | ABLE | ON |
| Totals: | 6 | 40.00 | ON % |
| <i>Totals:</i> Single Particles | 6 6 | 40.00 40.00 | <i>ON</i> % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|