

User:	9	Admin
Product:	7	knapp. 5ml
Batch:	new test	
Notes:		

30 May 2014 11:09:21

Date Time

Starting date:	<b>30/05/2014</b>	11:07:52 AM
Ending date:	<b>30/05/2014</b>	11:09:19 AM

Counters:

INSPECTED	<b>0</b>		
ACCEPTED	<b>0</b>	0.00	%
REJECTED	<b>0</b>	0.00	%
TECNICAL REJECT	<b>0</b>	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			OFF
<i>Totals:</i>	0	0.00	%
LKD2			OFF
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: