

User:	1	katew
Product:	11	1ml production
Batch:	water	
Notes:		

22 February 2016 17:29:51

Date Time

Starting date:	16/02/2016	9:08:59 PM
Ending date:	22/02/2016	5:29:50 PM

Counters:

INSPECTED	57		
ACCEPTED	0	0.00	%
REJECTED	42	73.68	%
TECNICAL REJECT	15	26.32	%

Reject details:

ST0	AVAILABLE		ON
Totals:	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
Totals:	1	1.75	%
Single Particles	1	1.75	%
Total Particles	1	1.75	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	1	1.75	%
Still Particles	1	1.75	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	1	1.75	%
Single Particles	1	1.75	%
Total Particles	1	1.75	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
Totals:	56	98.25	%
LKD2			ON
Totals:	54	94.74	%

Approved by:

Verified by: