

User:	9	adaml
Product:	7	Ascorbic 5ml
Batch:	mag sulfate 2ml test	
Notes:		

17 November 2016 07:19:54

Date Time

Starting date:	17/11/2016	7:19:53 AM
Ending date:	17/11/2016	7:19:54 AM

Counters:

INSPECTED	242		
ACCEPTED	45	18.60	%
REJECTED	89	36.78	%
TECNICAL REJECT	108	44.63	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	26	10.74	%
Height	22	9.09	%
Shape	18	7.44	%
Black Spot	5	2.07	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	35	14.46	%
Single Particles	28	11.57	%
Total Particles	33	13.64	%
	0	0.00	%
Fill Level	5	2.07	%
ST2	AVAILABLE		ON
<i>Totals:</i>	30	12.40	%
Single Particles	25	10.33	%
Total Particles	28	11.57	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	12	4.96	%
Still Particles	12	4.96	%
Tot. Still Particles	12	4.96	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	25	10.33	%
Single Particles	21	8.68	%
Total Particles	24	9.92	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	0	0.00	%
LKD2			ON
<i>Totals:</i>	15	6.20	%

Approved by:

Verified by: