

Batch:

21490030

| User: | 5 | simonb |
|----------|---|-----------------|
| Product: | 4 | Production 10ml |
| Batch: | | |
| Notes: | | |
| | | |
| | | |
| | | , |

28 March 2017 15:25:15

Date Time

| Starting date: | 28/03/2017 | 3:22:33 PM |
|----------------|------------|------------|
| Ending date: | 28/03/2017 | 3:25:14 PM |

Counters:

| INSPECTED | 237 | | |
|-----------------|-----|-------|---|
| ACCEPTED | 125 | 52.74 | % |
| REJECTED | 112 | 47.26 | % |
| TECNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | AVAILABLE | | OFF |
|----------------------|-----------|-------|-----|
| Totals: | 0 | 0.00 | % |
| Height | 0 | 0.00 | % |
| Shape | 0 | 0.00 | % |
| Black Spot | 0 | 0.00 | % |
| Colour Rings | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 70 | 29.54 | % |
| Single Particles | 40 | 16.88 | % |
| Total Particles | 70 | 29.54 | % |
| | 0 | 0.00 | % |
| Fill Level | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 103 | 43.46 | % |
| Single Particles | 83 | 35.02 | % |
| Total Particles | 101 | 42.62 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 1 | 0.42 | % |
| Still Particles | 1 | 0.42 | % |
| Tot. Still Particles | 0 | 0.00 | % |
| Charrings | 0 | 0.00 | % |
| Tot. Charrings | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|------------------|------------------|----------------|----------|
| Totals: | 104 | 43.88 | % |
| Single Particles | 87 | 36.71 | % |
| Total Particles | 103 | 43.46 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | NOT AVA | ILABLE | OFF |
| ST5 Totals: | NOT AVA | ILABLE 0.00 | OFF % |
| | NOT AVA | | |
| | 0 0 0 | 0.00 | % |
| | 0 0 0 0 | 0.00 | % |

| LKD counters | | | |
|--------------|---|------|-----|
| LKD1 | | | OFF |
| Totals: | 0 | 0.00 | % |
| LKD2 | | | OFF |
| Totals: | 0 | 0.00 | % |

| Approved by: | Verified by: |
|--------------|--------------|
|--------------|--------------|