

Batch:

21490030

User:	5	Supervisor
Product:	1	Ampoules. 1ml
Batch:	11111	112
Notes:		

11 November 2015 08:00:29

Date Time

 Starting date:
 11/11/2015
 7:31:45 AM

 Ending date:
 11/11/2015
 8:00:28 AM

Counters:

INSPECTED	119		
ACCEPTED	0	0.00	%
REJECTED	118	99.16	%
TECNICAL REJECT	1	0.84	%

Reject details:

ST0	AVAILABLE		ON
Totals:	45	37.82	%
Height	1	0.84	%
Shape	22	18.49	%
Black Spot	28	23.53	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAIL	ABLE	ON
Totals:	3	2.52	%
Single Particles	0	0.00	%
Total Particles	3	2.52	%
	0	0.00	%
	0	0.00	%
CTO	AVAILABLE		ON
ST3	AVAIL	TULL	
Totals:	1	0.84	%
	-		% %
Totals:	1	0.84	
Totals: Still Particles	1 1	0.84 0.84	%

ST4	AVAIL	ABLE	ON
Totals:	5	4.20	%
Single Particles	2	1.68	%
Total Particles	5	4.20	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	ILABLE	OFF
ST5 Totals:	NOT AVA	ILABLE 0.00	OFF %
	NOT AVA		
	0 0 0	0.00	%
	0 0 0 0	0.00	%

LKD counters			
LKD1			ON
Totals:	0	0.00	%
LKD2			ON
Totals:	74	62.18	%

Approved by:	Verified by:
--------------	--------------