

Batch:

21490030

1	robj
1	Production 1ml
	1

27 March 2017 14:21:14

Date Time

Starting date:	27/03/2017	2:18:16 PM
Ending date:	27/03/2017	2:21:14 PM

Counters:

INSPECTED	6		
ACCEPTED	1	16.67	%
REJECTED	5	83.33	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
Totals:	3	50.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	3	50.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	2	33.33	%
Single Particles	2	33.33	%
Total Particles	2	33.33	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
Totals:	2	33.33	%
Single Particles	2	33.33	%
Total Particles	2	33.33	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	2	33.33	%
Single Particles	2	33.33	%
Total Particles	2	33.33	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	ILABLE	OFF
ST5 Totals:	NOT AVA	ILABLE 0.00	OFF %
	NOT AVA		
	0 0 0	0.00	%
	0 0 0 0	0.00	%

LKD counters			
LKD1			ON
Totals:	0	0.00	%
LKD2			ON
Totals:	0	0.00	%

Approved by:	Verified by:
--------------	--------------