

Batch:

21490035

User:	1	darylw
Product:	3	50ml Production
Batch:	Challe	enge 1908138
Notes:		

15 August 2019 08:39:11

Date Time

 Starting date:
 15/08/2019
 08:37:08

 Ending date:
 15/08/2019
 08:39:11

Counters:

INSPECTED	15		
ACCEPTED	4	26.67	%
REJECTED	11	73.33	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	4	26.67	%
Min Still particles	4	26.67	%
Tot. Still Particles	4	26.67	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	5	33.33	%
Flip-off	4	26.67	%
Aluseal Area	1	6.67	%
Crimping	2	13.33	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	6	40.00	%
Single Particles	3	20.00	%
Total Particles	5	33.33	%
	0	0.00	%
Fill Level	1	6.67	%

ST4	AVAILABLE		ON
Totals:	2	13.33	%
Single Particles	2	13.33	%
Total Particles	2	13.33	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	ABLE 26.67	ON %
	AVAIL/ 4 4		
Totals:	4	26.67	%
<i>Totals:</i> Single Particles	4	26.67 26.67	% %

Approved by:	Verified by:	
--------------	--------------	--