

User:	5	Supervisor
Product:	1	Ampoules. 1ml
Batch:	1ml knapp	
Notes:		

20 December 2015 07:10:34

Date Time

Starting date:	<b>20/12/2015</b>	7:07:24 AM
Ending date:	<b>20/12/2015</b>	7:10:34 AM

Counters:

INSPECTED	<b>260</b>		
ACCEPTED	<b>182</b>	70.00	%
REJECTED	<b>78</b>	30.00	%
TECNICAL REJECT	<b>0</b>	0.00	%

Reject details:

ST0	AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	60	23.08	%
Single Particles	56	21.54	%
Total Particles	59	22.69	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	72	27.69	%
Single Particles	63	24.23	%
Total Particles	72	27.69	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	8	3.08	%
Still Particles	7	2.69	%
Tot. Still Particles	6	2.31	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	64	24.62	%
Single Particles	60	23.08	%
Total Particles	64	24.62	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			OFF
<i>Totals:</i>	0	0.00	%
LKD2			OFF
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: