

## Batch:

21490035

1	robj
3	50ml Production
	3

17 October 2016 12:35:19

## Date Time

 Starting date:
 17/10/2016
 12:35:19 PM

 Ending date:
 17/10/2016
 12:35:19 PM

## Counters:

INSPECTED	5		
ACCEPTED	1	20.00	%
REJECTED	4	80.00	%
TECHNICAL REJECT	0	0.00	%

## Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	1	20.00	%
Min Still particles	1	20.00	%
Tot. Still Particles	1	20.00	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	1	20.00	%
Flip-off	0	0.00	%
Aluseal Area	1	20.00	%
Crimping	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	4	80.00	%
Single Particles	2	40.00	%
Total Particles	4	80.00	%
	0	0.00	%
Fill Level	0	0.00	%

ST4	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	0.00	ON %
	0 0		
Totals:	0	0.00	%
<i>Totals:</i> Single Particles	0	0.00	%

Approved by:	Verified by:	
--------------	--------------	--