

## Batch:

21490035

| 9     | knapps          |
|-------|-----------------|
| 3     | 50ml Production |
| knapp | run             |
|       |                 |
|       |                 |
|       |                 |
|       |                 |

31 July 2019 11:37:07

## Date Time

 Starting date:
 31/07/2019
 11:30:33

 Ending date:
 31/07/2019
 11:37:07

## Counters:

| INSPECTED        | 10 |       |   |
|------------------|----|-------|---|
| ACCEPTED         | 2  | 20.00 | % |
| REJECTED         | 8  | 80.00 | % |
| TECHNICAL REJECT | 0  | 0.00  | % |

## Reject details:

| ST0                  | NOT AVAILABLE |       | OFF |
|----------------------|---------------|-------|-----|
| Totals:              | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
| ST1                  | AVAILABLE     |       | ON  |
| Totals:              | 0             | 0.00  | %   |
| Min Still particles  | 0             | 0.00  | %   |
| Tot. Still Particles | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
| ST2                  | AVAILABLE     |       | ON  |
| Totals:              | 0             | 0.00  | %   |
| Flip-off             | 0             | 0.00  | %   |
| Aluseal Area         | 0             | 0.00  | %   |
| Crimping             | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
| ST3                  | AVAILABLE     |       | ON  |
| Totals:              | 4             | 40.00 | %   |
| Single Particles     | 0             | 0.00  | %   |
| Total Particles      | 3             | 30.00 | %   |
|                      | 0             | 0.00  | %   |
| Fill Level           | 1             | 10.00 | %   |

| ST4                             | AVAILABLE |                | ON      |
|---------------------------------|-----------|----------------|---------|
| Totals:                         | 4         | 40.00          | %       |
| Single Particles                | 2         | 20.00          | %       |
| Total Particles                 | 4         | 40.00          | %       |
|                                 | 0         | 0.00           | %       |
|                                 | 0         | 0.00           | %       |
|                                 |           |                |         |
| ST5                             | AVAIL     |                | ON      |
| ST5 Totals:                     | AVAIL/    |                | ON<br>% |
|                                 |           | ABLE           |         |
| Totals:                         | 5         | ABLE<br>50.00  | %       |
| <i>Totals:</i> Single Particles | 5<br>5    | 50.00<br>50.00 | %<br>%  |

| Approved by: | Verified by: |  |
|--------------|--------------|--|
|--------------|--------------|--|