

## Batch:

21490035

1	darylw
3	50ml Production
20032	268 Iron Chloride
	3

30 March 2020 12:15:33

## Date Time

 Starting date:
 30/03/2020
 08:48:19

 Ending date:
 30/03/2020
 12:15:33

## Counters:

INSPECTED	10095		
ACCEPTED	9820	97.28	%
REJECTED	260	2.58	%
TECHNICAL REJECT	15	0.15	%

## Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	2	0.02	%
Min Still particles	2	0.02	%
Tot. Still Particles	1	0.01	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	73	0.72	%
Flip-off	0	0.00	%
Aluseal Area	51	0.51	%
Crimping	45	0.45	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	130	1.29	%
Single Particles	55	0.54	%
Total Particles	130	1.29	%
	0	0.00	%
Fill Level	2	0.02	%

ST4	AVAILABLE		ON
Totals:	46	0.46	%
Single Particles	21	0.21	%
Total Particles	46	0.46	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/ 51	ABLE 0.51	ON %
Totals:	51	0.51	%
<i>Totals:</i> Single Particles	51 42	0.51 0.42	% %

Approved by:	Verified by:	
--------------	--------------	--