

Batch:

21490030

| User: | 5 | Supervisor |
|----------|-------|---------------|
| Product: | 3 | Ampoules. 5ml |
| Batch: | 11111 | 11 |
| Notes: | | |
| | | |
| | | |

19 October 2015 13:01:27

Date Time

 Starting date:
 19/10/2015
 12:07:12 PM

 Ending date:
 19/10/2015
 1:01:26 PM

Counters:

| INSPECTED | 2588 | | |
|-----------------|------|-------|---|
| ACCEPTED | 2417 | 93.39 | % |
| REJECTED | 158 | 6.11 | % |
| TECNICAL REJECT | 13 | 0.50 | % |

Reject details:

| ST0 | AVAILABLE | | ON |
|----------------------|-----------|------|----|
| Totals: | 13 | 0.50 | % |
| Height | 1 | 0.04 | % |
| Shape | 11 | 0.43 | % |
| Black Spot | 1 | 0.04 | % |
| Colour Rings | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 16 | 0.62 | % |
| Single Particles | 3 | 0.12 | % |
| Total Particles | 16 | 0.62 | % |
| | 0 | 0.00 | % |
| Fill Level | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 38 | 1.47 | % |
| Single Particles | 3 | 0.12 | % |
| Total Particles | 38 | 1.47 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 1 | 0.04 | % |
| Still Particles | 1 | 0.04 | % |
| Tot. Still Particles | 0 | 0.00 | % |
| Charrings | 0 | 0.00 | % |
| Tot. Charrings | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|------------------|-----------|----------------|----------|
| Totals: | 119 | 4.60 | % |
| Single Particles | 5 | 0.19 | % |
| Total Particles | 118 | 4.56 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | NOT AVA | ILABLE | OFF |
| ST5 Totals: | NOT AVA | ILABLE 0.00 | OFF % |
| | NOT AVA | | |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % % |

| LKD co | ounters | | |
|---------|---------|------|----|
| LKD1 | | | ON |
| Totals: | 0 | 0.00 | % |
| LKD2 | | | ON |
| Totals: | 11 | 0.43 | % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|