

User:	1	kevc
Product:	1	Production 1ml
Batch:	challenge 1710105	
Notes:		

12 October 2017 08:32:45

### Date Time

Starting date:	<b>12/10/2017</b>	8:18:23 AM
Ending date:	<b>12/10/2017</b>	8:32:45 AM

### Counters:

INSPECTED	<b>18</b>		
ACCEPTED	<b>5</b>	27.78	%
REJECTED	<b>13</b>	72.22	%
TECNICAL REJECT	<b>0</b>	0.00	%

### Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	2	11.11	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	2	11.11	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	10	55.56	%
Single Particles	10	55.56	%
Total Particles	10	55.56	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	11	61.11	%
Single Particles	10	55.56	%
Total Particles	11	61.11	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	9	50.00	%
Single Particles	9	50.00	%
Total Particles	9	50.00	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	1	5.56	%
LKD2			ON
<i>Totals:</i>	1	5.56	%

Approved by:

Verified by: