

| | | |
|----------|---|----------------|
| User: | 1 | adamb |
| Product: | 3 | Production 5ml |
| Batch: | | |
| Notes: | | |
| | | |
| | | |

11 July 2016 16:26:33

Date Time

| | | |
|----------------|-------------------|-------------|
| Starting date: | 05/07/2016 | 11:15:51 PM |
| Ending date: | 11/07/2016 | 4:26:32 PM |

Counters:

| | | | |
|-----------------|----------|--------|---|
| INSPECTED | 8 | | |
| ACCEPTED | 0 | 0.00 | % |
| REJECTED | 8 | 100.00 | % |
| TECNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | AVAILABLE | | ON |
|----------------------|-----------|--------|----|
| <i>Totals:</i> | 0 | 0.00 | % |
| Height | 0 | 0.00 | % |
| Shape | 0 | 0.00 | % |
| Black Spot | 0 | 0.00 | % |
| Colour Rings | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| <i>Totals:</i> | 7 | 87.50 | % |
| Single Particles | 3 | 37.50 | % |
| Total Particles | 5 | 62.50 | % |
| | 0 | 0.00 | % |
| Fill Level | 6 | 75.00 | % |
| ST2 | AVAILABLE | | ON |
| <i>Totals:</i> | 4 | 50.00 | % |
| Single Particles | 4 | 50.00 | % |
| Total Particles | 4 | 50.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| <i>Totals:</i> | 8 | 100.00 | % |
| Still Particles | 8 | 100.00 | % |
| Tot. Still Particles | 8 | 100.00 | % |
| Charrings | 0 | 0.00 | % |
| Tot. Charrings | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|------------------|---------------|-------|-----|
| <i>Totals:</i> | 5 | 62.50 | % |
| Single Particles | 5 | 62.50 | % |
| Total Particles | 5 | 62.50 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST5 | NOT AVAILABLE | | OFF |
| <i>Totals:</i> | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |

| LKD counters | | | |
|----------------|---|-------|----|
| LKD1 | | | ON |
| <i>Totals:</i> | 2 | 25.00 | % |
| LKD2 | | | ON |
| <i>Totals:</i> | 0 | 0.00 | % |

Approved by:

Verified by: