

Batch:

21490035

User:	1	markw
Product:	3	50ml Production
Batch:	Challe	enge 1903278
Notes:		

28 March 2019 12:55:20

Date Time

 Starting date:
 28/03/2019
 12:52:32

 Ending date:
 28/03/2019
 12:55:20

Counters:

INSPECTED	17		
ACCEPTED	5	29.41	%
REJECTED	10	58.82	%
TECHNICAL REJECT	2	11.76	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	2	11.76	%
Min Still particles	2	11.76	%
Tot. Still Particles	2	11.76	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	9	52.94	%
Flip-off	2	11.76	%
Aluseal Area	3	17.65	%
Crimping	6	35.29	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	7	41.18	%
Single Particles	4	23.53	%
Total Particles	4	23.53	%
	0	0.00	%
Fill Level	3	17.65	%

ST4	AVAILABLE		ON
Totals:	5	29.41	%
Single Particles	5	29.41	%
Total Particles	5	29.41	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	ABLE 35.29	ON %
Totals:	6	35.29	%
<i>Totals:</i> Single Particles	6 4	35.29 23.53	% %

Approved by:	Verified by:	
--------------	--------------	--