

| | | |
|----------|-------------------|----------------|
| User: | 1 | adamb |
| Product: | 1 | Production 1ml |
| Batch: | challenge 1712155 | |
| Notes: | | |
| | | |
| | | |

02 January 2018 14:05:44

Date Time

| | | |
|----------------|-------------------|------------|
| Starting date: | 02/01/2018 | 1:59:10 PM |
| Ending date: | 02/01/2018 | 2:05:44 PM |

Counters:

| | | | |
|-----------------|-----------|-------|---|
| INSPECTED | 19 | | |
| ACCEPTED | 4 | 21.05 | % |
| REJECTED | 15 | 78.95 | % |
| TECNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | AVAILABLE | | ON |
|----------------------|-----------|-------|----|
| <i>Totals:</i> | 2 | 10.53 | % |
| Height | 2 | 10.53 | % |
| Shape | 0 | 0.00 | % |
| Black Spot | 1 | 5.26 | % |
| Colour Rings | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| <i>Totals:</i> | 9 | 47.37 | % |
| Single Particles | 8 | 42.11 | % |
| Total Particles | 9 | 47.37 | % |
| | 0 | 0.00 | % |
| Fill Level | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| <i>Totals:</i> | 12 | 63.16 | % |
| Single Particles | 12 | 63.16 | % |
| Total Particles | 12 | 63.16 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| <i>Totals:</i> | 0 | 0.00 | % |
| Still Particles | 0 | 0.00 | % |
| Tot. Still Particles | 0 | 0.00 | % |
| Charrings | 0 | 0.00 | % |
| Tot. Charrings | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|------------------|---------------|-------|-----|
| <i>Totals:</i> | 11 | 57.89 | % |
| Single Particles | 11 | 57.89 | % |
| Total Particles | 11 | 57.89 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST5 | NOT AVAILABLE | | OFF |
| <i>Totals:</i> | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |

| LKD counters | | | |
|----------------|---|------|----|
| LKD1 | | | ON |
| <i>Totals:</i> | 1 | 5.26 | % |
| LKD2 | | | ON |
| <i>Totals:</i> | 1 | 5.26 | % |

Approved by:

Verified by: