

Batch:

21490030

User:	1	operator
Product:	2	Ampoules. 2ml
Batch:	12345	678
Notes:		

21 May 2015 13:54:44

Date Time

 Starting date:
 21/05/2015
 1:54:33 PM

 Ending date:
 21/05/2015
 1:54:44 PM

Counters:

INSPECTED	0		
ACCEPTED	0	0.00	%
REJECTED	0	0.00	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAIL	ABLE	OFF
Totals:	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	0	0.00	%
	AVAILABLE		
ST2	AVAIL	ABLE	OFF
ST2 Totals:	AVAIL/ 0	ABLE 0.00	OFF %
Totals:	0	0.00	%
Totals: Single Particles	0	0.00	% %
Totals: Single Particles	0 0 0	0.00 0.00 0.00	% % %
Totals: Single Particles	0 0 0	0.00 0.00 0.00 0.00 0.00	% % % %
Totals: Single Particles Total Particles ST3 Totals:	0 0 0 0	0.00 0.00 0.00 0.00 0.00	% % % %
Totals: Single Particles Total Particles ST3	0 0 0 0 0 AVAIL	0.00 0.00 0.00 0.00 0.00 ABLE	% % % % % <i>OFF</i>
Totals: Single Particles Total Particles ST3 Totals:	0 0 0 0 0 AVAIL	0.00 0.00 0.00 0.00 0.00 ABLE 0.00	% % % % % <i>OFF</i>
Totals: Single Particles Total Particles ST3 Totals: Still Particles	0 0 0 0 0 AVAIL 0	0.00 0.00 0.00 0.00 0.00 ABLE 0.00	% % % % % <i>OFF</i> %

ST4	AVAILABLE		OFF
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	ILABLE	OFF
ST5 Totals:	NOT AVA	ILABLE 0.00	OFF %
	NOT AVA		
	0 0 0	0.00	%
	0 0 0 0	0.00	%

L	KD counters		
LKD1			OFF
Totals:	0	0.00	%
LKD2			OFF
Totals:	0	0.00	%

Approved by:	Verified by:	
--------------	--------------	--