

## Batch:

21490035

1	mattjw
3	50ml Production
Potass	sium Chloride 1903278
	3

28 March 2019 14:39:55

## Date Time

 Starting date:
 28/03/2019
 13:17:32

 Ending date:
 28/03/2019
 14:39:54

## Counters:

INSPECTED	2785		
ACCEPTED	2776	99.68	%
REJECTED	9	0.32	%
TECHNICAL REJECT	0	0.00	%

## Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	2	0.07	%
Min Still particles	1	0.04	%
Tot. Still Particles	2	0.07	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	2	0.07	%
Flip-off	1	0.04	%
Aluseal Area	1	0.04	%
Crimping	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	6	0.22	%
Single Particles	2	0.07	%
Total Particles	6	0.22	%
	0	0.00	%
Fill Level	0	0.00	%

ST4	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	0.00	ON %
	0 0		
Totals:	0	0.00	%
<i>Totals:</i> Single Particles	0	0.00	% %

Approved by:	Verified by:	
--------------	--------------	--