

| | | |
|----------|-----------------------------------|----------------------|
| User: | 9 | simonb |
| Product: | 8 | 6ml Amber Production |
| Batch: | 6ml amber production test 1 run 2 | |
| Notes: | | |
| | | |
| | | |

12 December 2018 14:20:55

Date Time

| | | |
|----------------|-------------------|----------|
| Starting date: | 12/12/2018 | 14:20:10 |
| Ending date: | 12/12/2018 | 14:20:55 |

Counters:

| | | | |
|------------------|-----------|-------|---|
| INSPECTED | 10 | | |
| ACCEPTED | 5 | 50.00 | % |
| REJECTED | 5 | 50.00 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|-------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | OFF |
| Totals: | 0 | 0.00 | % |
| Min Still particles | 0 | 0.00 | % |
| Tot. Still Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 5 | 50.00 | % |
| Flip-off | 1 | 10.00 | % |
| Aluseal Area | 4 | 40.00 | % |
| Crimping | 1 | 10.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | OFF |
| Totals: | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| Fill Level | 0 | 0.00 | % |

| ST4 | AVAILABLE | | OFF |
|------------------|-----------|------|-----|
| Totals: | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST5 | AVAILABLE | | OFF |
| Totals: | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |

Approved by:

Verified by: