

## Batch:

21490035

| User:    | 1      | mattjw          |
|----------|--------|-----------------|
| Product: | 3      | 50ml Production |
| Batch:   | challe | nge set 2005128 |
| Notes:   |        |                 |
|          |        |                 |
|          |        |                 |
|          |        |                 |

13 May 2020 17:49:33

## Date Time

| Starting date: | 13/05/2020 | 17:49:31 |
|----------------|------------|----------|
| Ending date:   | 13/05/2020 | 17:49:33 |

## Counters:

| INSPECTED        | ^ |      |   |
|------------------|---|------|---|
| INSPECTED        | U |      |   |
| ACCEPTED         | 0 | 0.00 | % |
| REJECTED         | 0 | 0.00 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

## Reject details:

| ST0                  | NOT AVAILABLE |      | OFF |
|----------------------|---------------|------|-----|
| Totals:              | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
| ST1                  | AVAILABLE     |      | ON  |
| Totals:              | 0             | 0.00 | %   |
| Min Still particles  | 0             | 0.00 | %   |
| Tot. Still Particles | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
| ST2                  | AVAILABLE     |      | ON  |
| Totals:              | 0             | 0.00 | %   |
| Flip-off             | 0             | 0.00 | %   |
| Aluseal Area         | 0             | 0.00 | %   |
| Crimping             | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
| ST3                  | AVAILABLE     |      | ON  |
| Totals:              | 0             | 0.00 | %   |
| Single Particles     | 0             | 0.00 | %   |
| Total Particles      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
| Fill Level           | 0             | 0.00 | %   |

| ST4 AVAIL                       |        | ABLE | ON      |
|---------------------------------|--------|------|---------|
| Totals:                         | 0      | 0.00 | %       |
| Single Particles                | 0      | 0.00 | %       |
| Total Particles                 | 0      | 0.00 | %       |
|                                 | 0      | 0.00 | %       |
|                                 | 0      | 0.00 | %       |
|                                 |        |      |         |
| ST5                             | AVAIL  | ABLE | ON      |
| ST5 Totals:                     | AVAIL/ | 0.00 | ON<br>% |
|                                 | 0<br>0 |      |         |
| Totals:                         | 0      | 0.00 | %       |
| <i>Totals:</i> Single Particles | 0      | 0.00 | %<br>%  |

| Approved by: | Verified by: |  |
|--------------|--------------|--|
|--------------|--------------|--|