

User:	5	Supervisor
Product:	1	Ampoules. 1ml
Batch:	1111111	
Notes:		

11 September 2015 08:44:44

### Date Time

Starting date:	<b>11/09/2015</b>	8:43:25 AM
Ending date:	<b>11/09/2015</b>	8:44:44 AM

### Counters:

INSPECTED	<b>24</b>		
ACCEPTED	<b>1</b>	4.17	%
REJECTED	<b>21</b>	87.50	%
TECNICAL REJECT	<b>2</b>	8.33	%

### Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	1	4.17	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	1	4.17	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	1	4.17	%
Single Particles	1	4.17	%
Total Particles	1	4.17	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	2	8.33	%
Single Particles	1	4.17	%
Total Particles	2	8.33	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	2	8.33	%
Single Particles	1	4.17	%
Total Particles	2	8.33	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			OFF
<i>Totals:</i>	0	0.00	%
LKD2			OFF
<i>Totals:</i>	22	91.67	%

Approved by:

Verified by: