

Batch:

21490035

User:	1	markw
Product:	3	50ml Production
Batch:	Challe	enge 2005019
Notes:		

02 May 2020 15:28:18

Date Time

 Starting date:
 02/05/2020
 15:25:45

 Ending date:
 02/05/2020
 15:28:17

Counters:

INSPECTED	16		
ACCEPTED	6	37.50	%
REJECTED	10	62.50	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	4	25.00	%
Min Still particles	3	18.75	%
Tot. Still Particles	3	18.75	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	5	31.25	%
Flip-off	3	18.75	%
Aluseal Area	4	25.00	%
Crimping	1	6.25	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	5	31.25	%
Single Particles	4	25.00	%
Total Particles	4	25.00	%
	0	0.00	%
Fill Level	2	12.50	%

ST4	AVAILABLE		ON
Totals:	5	31.25	%
Single Particles	5	31.25	%
Total Particles	5	31.25	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	ABLE 25.00	ON %
	AVAILA 4 4		
Totals:	4 4 4	25.00	%
<i>Totals:</i> Single Particles	4	25.00 25.00	% %

Approved by:	Verified by:	
--------------	--------------	--