

User:	1	robj
Product:	3	Production 5ml
Batch:	mag sulfate 2ml test	
Notes:		

16 November 2016 09:17:24

Date Time

Starting date:	15/11/2016	6:05:20 PM
Ending date:	16/11/2016	9:17:23 AM

Counters:

INSPECTED	132		
ACCEPTED	99	75.00	%
REJECTED	33	25.00	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	16	12.12	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	16	12.12	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	9	6.82	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	9	6.82	%
ST2	AVAILABLE		ON
<i>Totals:</i>	3	2.27	%
Single Particles	2	1.52	%
Total Particles	3	2.27	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	2	1.52	%
Still Particles	2	1.52	%
Tot. Still Particles	1	0.76	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	6	4.55	%
Single Particles	1	0.76	%
Total Particles	6	4.55	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	0	0.00	%
LKD2			ON
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: