

User:	1	kevc
Product:	2	Production 2ml
Batch:	challenge 1709125	
Notes:		

09 October 2017 08:38:20

Date Time

Starting date:	09/10/2017	8:31:02 AM
Ending date:	09/10/2017	8:38:20 AM

Counters:

INSPECTED	21		
ACCEPTED	5	23.81	%
REJECTED	16	76.19	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	5	23.81	%
Height	0	0.00	%
Shape	3	14.29	%
Black Spot	4	19.05	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	6	28.57	%
Single Particles	5	23.81	%
Total Particles	6	28.57	%
	0	0.00	%
Fill Level	1	4.76	%
ST2	AVAILABLE		ON
<i>Totals:</i>	10	47.62	%
Single Particles	9	42.86	%
Total Particles	10	47.62	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	1	4.76	%
Still Particles	1	4.76	%
Tot. Still Particles	1	4.76	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	10	47.62	%
Single Particles	10	47.62	%
Total Particles	10	47.62	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	0	0.00	%
LKD2			ON
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: