

User:	1	kevc
Product:	3	Production 5mL
Batch:	challenge 1802025	
Notes:		

06 February 2018 08:33:58

Date Time

Starting date:	06/02/2018	8:30:03 AM
Ending date:	06/02/2018	8:33:57 AM

Counters:

INSPECTED	18		
ACCEPTED	5	27.78	%
REJECTED	13	72.22	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	2	11.11	%
Height	1	5.56	%
Shape	0	0.00	%
Black Spot	2	11.11	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	10	55.56	%
Single Particles	8	44.44	%
Total Particles	10	55.56	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	11	61.11	%
Single Particles	10	55.56	%
Total Particles	11	61.11	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	11	61.11	%
Single Particles	10	55.56	%
Total Particles	11	61.11	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	1	5.56	%
LKD2			ON
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: