

User:	1	kevc
Product:	1	1mL Production
Batch:	challenge 1802225	
Notes:		

27 February 2018 10:35:59

Date Time

Starting date:	27/02/2018	10:31:56 AM
Ending date:	27/02/2018	10:35:58 AM

Counters:

INSPECTED	19		
ACCEPTED	4	21.05	%
REJECTED	15	78.95	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	2	10.53	%
Height	0	0.00	%
Shape	2	10.53	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	10	52.63	%
Single Particles	8	42.11	%
Total Particles	10	52.63	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	10	52.63	%
Single Particles	9	47.37	%
Total Particles	10	52.63	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	1	5.26	%
Still Particles	1	5.26	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	10	52.63	%
Single Particles	10	52.63	%
Total Particles	9	47.37	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	3	15.79	%
LKD2			ON
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: