

Batch:

21490035

User:	5	Supervisor
Product:	6	Knapp 50ml
Batch:	12345	67
Notes:		

19 May 2015 10:01:02

Date Time

 Starting date:
 19/05/2015
 9:26:19 AM

 Ending date:
 19/05/2015
 10:01:00 AM

Counters:

INSPECTED	137		
ACCEPTED	16	11.68	%
REJECTED	111	81.02	%
TECHNICAL REJECT	10	7.30	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		OFF
Totals:	93	67.88	%
Min Still particles	74	54.01	%
Tot. Still Particles	93	67.88	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		OFF
Totals:	15	10.95	%
Aluseal Area	10	7.30	%
Crimping	6	4.38	%
	2	1.46	%
	0	0.00	%
ST3	AVAILABLE		OFF
Totals:	21	15.33	%
Single Particles	8	5.84	%
Total Particles	20	14.60	%
	0	0.00	%
Fill Level	1	0.73	%

ST4	AVAILABLE		OFF
Totals:	39	28.47	%
Single Particles	13	9.49	%
Total Particles	39	28.47	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	<u> </u>	OFF
ST5 Totals:	AVAIL/	<u> </u>	
		ABLE	OFF
Totals:	10	ABLE 7.30	OFF %
<i>Totals:</i> Single Particles	10 3	7.30 2.19	<i>OFF</i> %

Approved by:	Verified by:	
--------------	--------------	--