

## Batch:

21490035

1	operator
4	Knapp 10ml
12345	567
	4

17 March 2015 11:01:33

## Date Time

 Starting date:
 17/03/2015
 10:57:46 AM

 Ending date:
 17/03/2015
 11:01:32 AM

## Counters:

INSPECTED	195		
ACCEPTED	152	77.95	%
REJECTED	43	22.05	%
TECHNICAL REJECT	0	0.00	%

## Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	1	0.51	%
Min Still particles	1	0.51	%
Tot. Still Particles	1	0.51	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	12	6.15	%
Aluseal Area	1	0.51	%
Crimping	9	4.62	%
	3	1.54	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	21	10.77	%
Single Particles	7	3.59	%
Total Particles	20	10.26	%
	0	0.00	%
Fill Level	2	1.03	%

ST4	AVAILABLE		ON
Totals:	11	5.64	%
Single Particles	5	2.56	%
Total Particles	11	5.64	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	<u> </u>	ON
ST5 Totals:	AVAIL/	<u> </u>	
		ABLE	ON
Totals:	11	ABLE 5.64	ON %
<i>Totals:</i> Single Particles	11 10	5.64 5.13	<i>ON</i> %

Approved by:	Verified by:	
--------------	--------------	--