

Batch:

21490035

User:	1	markw
Product:	3	50ml Production
Batch:	Challe	enge 1910099
Notes:		

10 October 2019 08:44:26

Date Time

 Starting date:
 10/10/2019
 08:44:25

 Ending date:
 10/10/2019
 08:44:25

Counters:

INSPECTED	Λ		
INSPECTED	U		
ACCEPTED	0	0.00	%
REJECTED	0	0.00	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	0	0.00	%
Min Still particles	0	0.00	%
Tot. Still Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	0	0.00	%
Flip-off	0	0.00	%
Aluseal Area	0	0.00	%
Crimping	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	0	0.00	%

ST4	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	0.00	ON %
	0 0		
Totals:	0	0.00	%
<i>Totals:</i> Single Particles	0	0.00	% %

Approved by:	Verified by:	
--------------	--------------	--