

User:	1	roby
Product:	3	Production 5ml
Batch:	particle trials tray 43	
Notes:		

27 November 2017 13:08:46

Date Time

Starting date:	27/11/2017	1:07:01 PM
Ending date:	27/11/2017	1:08:46 PM

Counters:

INSPECTED	167		
ACCEPTED	60	35.93	%
REJECTED	107	64.07	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	48	28.74	%
Single Particles	40	23.95	%
Total Particles	48	28.74	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	83	49.70	%
Single Particles	71	42.51	%
Total Particles	78	46.71	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	1	0.60	%
Still Particles	0	0.00	%
Tot. Still Particles	1	0.60	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	94	56.29	%
Single Particles	86	51.50	%
Total Particles	93	55.69	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	0	0.00	%
LKD2			ON
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: