

Batch:

21490030

1	adamb
4	10mL Production
	1 4

05 April 2018 17:42:03

Date Time

Starting date:	05/04/2018	5:42:01 PM
Ending date:	05/04/2018	5:42:03 PM

Counters:

INSPECTED	0		
ACCEPTED	0	0.00	%
REJECTED	0	0.00	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
Totals:	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	0	0.00	%
	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%
Single Particles Total Particles ST3 Totals: Still Particles Tot. Still Particles Charrings	0 0 0 0 0 AVAIL 0 0 0	0.00 0.00 0.00 0.00 ABLE 0.00 0.00 0.00	

ST4	AVAIL	AVAILABLE	
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	NOT AVAILABLE	
	11017117		OFF
Totals:	0	0.00	%
Totals:	0		
Totals:	0 0	0.00	%
Totals:	0 0 0	0.00	% %

LKD counters			
LKD1			ON
Totals:	0	0.00	%
LKD2			ON
Totals:	0	0.00	%

Approved by:	Verified by:	
--------------	--------------	--