

Batch:

21490035

| User: | 1 | robj |
|----------|--------|-----------------|
| Product: | 3 | 50ml Production |
| Batch: | challe | nge 1703228 |
| Notes: | | |
| | | |
| | | |
| | | |

27 March 2017 09:26:03

Date Time

 Starting date:
 27/03/2017
 9:21:37 AM

 Ending date:
 27/03/2017
 9:26:03 AM

Counters:

| INSPECTED | 56 | | |
|------------------|----|-------|---|
| ACCEPTED | 37 | 66.07 | % |
| REJECTED | 11 | 19.64 | % |
| TECHNICAL REJECT | 8 | 14.29 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------------|---------------|-------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Min Still particles | 0 | 0.00 | % |
| Tot. Still Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Flip-off | 0 | 0.00 | % |
| Aluseal Area | 0 | 0.00 | % |
| Crimping | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 10 | 17.86 | % |
| Single Particles | 2 | 3.57 | % |
| | | 47.00 | % |
| Total Particles | 10 | 17.86 | 70 |
| Total Particles Fill Level | 10 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|------------------|--------------|-------------|
| Totals: | 1 | 1.79 | % |
| Single Particles | 1 | 1.79 | % |
| Total Particles | 1 | 1.79 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | <u> </u> | ON |
| ST5 Totals: | AVAIL/ | <u> </u> | |
| | AVAIL/ 1 0 | ABLE | ON |
| Totals: | 1 | ABLE 1.79 | ON % |
| <i>Totals:</i> Single Particles | 1 | 1.79 0.00 | <i>ON</i> % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|