

User:	9	simonb
Product:	17	2ml update
Batch:	2ml update ts3 run 2	
Notes:		

21 March 2018 15:52:40

### Date Time

Starting date:	<b>21/03/2018</b>	3:50:56 PM
Ending date:	<b>21/03/2018</b>	3:52:40 PM

### Counters:

INSPECTED	<b>10</b>		
ACCEPTED	<b>5</b>	50.00	%
REJECTED	<b>5</b>	50.00	%
TECNICAL REJECT	<b>0</b>	0.00	%

### Reject details:

ST0	AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	5	50.00	%
Still Particles	5	50.00	%
Tot. Still Particles	5	50.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	0	0.00	%
LKD2			ON
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: