

## Batch:

21490030

| User:    | 5     | Supervisor    |
|----------|-------|---------------|
| Product: | 3     | Ampoules. 5ml |
| Batch:   | 11111 | 11            |
| Notes:   |       |               |
|          |       |               |
|          |       |               |

22 October 2015 14:03:18

## Date Time

 Starting date:
 22/10/2015
 9:50:52 AM

 Ending date:
 22/10/2015
 2:03:17 PM

## Counters:

| INSPECTED       | 5092 |       |   |
|-----------------|------|-------|---|
| ACCEPTED        | 4801 | 94.29 | % |
| REJECTED        | 278  | 5.46  | % |
| TECNICAL REJECT | 13   | 0.26  | % |

## Reject details:

| ST0                  | AVAILABLE |      | ON |
|----------------------|-----------|------|----|
| Totals:              | 39        | 0.77 | %  |
| Height               | 4         | 0.08 | %  |
| Shape                | 2         | 0.04 | %  |
| Black Spot           | 33        | 0.65 | %  |
| Colour Rings         | 0         | 0.00 | %  |
| ST1                  | AVAILABLE |      | ON |
| Totals:              | 35        | 0.69 | %  |
| Single Particles     | 6         | 0.12 | %  |
| Total Particles      | 24        | 0.47 | %  |
|                      | 0         | 0.00 | %  |
| Fill Level           | 11        | 0.22 | %  |
| ST2                  | AVAIL     | ABLE | ON |
| Totals:              | 36        | 0.71 | %  |
| Single Particles     | 10        | 0.20 | %  |
| Total Particles      | 36        | 0.71 | %  |
|                      | 0         | 0.00 | %  |
|                      | 0         | 0.00 | %  |
| ST3                  | AVAILABLE |      | ON |
| Totals:              | 4         | 0.08 | %  |
| Still Particles      | 3         | 0.06 | %  |
| Tot. Still Particles | 3         | 0.06 | %  |
| Charrings            | 0         | 0.00 | %  |
| Tot. Charrings       | 0         | 0.00 | %  |

| ST4              | AVAILABLE        |                | ON       |
|------------------|------------------|----------------|----------|
| Totals:          | 191              | 3.75           | %        |
| Single Particles | 46               | 0.90           | %        |
| Total Particles  | 189              | 3.71           | %        |
|                  | 0                | 0.00           | %        |
|                  | 0                | 0.00           | %        |
|                  |                  |                |          |
| ST5              | NOT AVA          | ILABLE         | OFF      |
| ST5 Totals:      | NOT AVA          | ILABLE<br>0.00 | OFF<br>% |
|                  | NOT AVA          |                |          |
|                  | 0<br>0<br>0      | 0.00           | %        |
|                  | 0<br>0<br>0<br>0 | 0.00           | %        |

| LKD counters |    |      |    |
|--------------|----|------|----|
| LKD1         |    |      | ON |
| Totals:      | 2  | 0.04 | %  |
| LKD2         |    |      | ON |
| Totals:      | 31 | 0.61 | %  |

| Approved by: | Verified by: |
|--------------|--------------|
|--------------|--------------|