

## Batch:

21490035

| 1       | darylw          |
|---------|-----------------|
| 3       | 50ml Production |
| challer | nge set 1710238 |
|         |                 |
|         |                 |
|         |                 |
|         |                 |

26 October 2017 08:46:02

## Date Time

 Starting date:
 26/10/2017
 8:46:01 AM

 Ending date:
 26/10/2017
 8:46:02 AM

## Counters:

| INSPECTED        | Λ |      |   |
|------------------|---|------|---|
| INSPECTED        | U |      |   |
| ACCEPTED         | 0 | 0.00 | % |
| REJECTED         | 0 | 0.00 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

## Reject details:

| ST0                  | ST0 NOT AVAILABLE |      | OFF |
|----------------------|-------------------|------|-----|
| Totals:              | 0                 | 0.00 | %   |
|                      | 0                 | 0.00 | %   |
|                      | 0                 | 0.00 | %   |
|                      | 0                 | 0.00 | %   |
|                      | 0                 | 0.00 | %   |
| ST1                  | AVAILABLE         |      | ON  |
| Totals:              | 0                 | 0.00 | %   |
| Min Still particles  | 0                 | 0.00 | %   |
| Tot. Still Particles | 0                 | 0.00 | %   |
|                      | 0                 | 0.00 | %   |
|                      | 0                 | 0.00 | %   |
| ST2                  | AVAILABLE         |      | ON  |
| Totals:              | 0                 | 0.00 | %   |
| Flip-off             | 0                 | 0.00 | %   |
| Aluseal Area         | 0                 | 0.00 | %   |
| Crimping             | 0                 | 0.00 | %   |
|                      | 0                 | 0.00 | %   |
| ST3                  | AVAILABLE         |      | ON  |
| Totals:              | 0                 | 0.00 | %   |
| Single Particles     | 0                 | 0.00 | %   |
| Total Particles      | 0                 | 0.00 | %   |
|                      | 0                 | 0.00 | %   |
| Fill Level           | 0                 | 0.00 | %   |

| ST4                             | AVAILABLE |      | ON      |  |
|---------------------------------|-----------|------|---------|--|
| Totals:                         | 0         | 0.00 | %       |  |
| Single Particles                | 0         | 0.00 | %       |  |
| Total Particles                 | 0         | 0.00 | %       |  |
|                                 | 0         | 0.00 | %       |  |
|                                 | 0         | 0.00 | %       |  |
|                                 |           |      |         |  |
| ST5                             | AVAIL     | ABLE | ON      |  |
| ST5 Totals:                     | AVAIL/    | 0.00 | ON<br>% |  |
|                                 | 0<br>0    |      |         |  |
| Totals:                         | 0         | 0.00 | %       |  |
| <i>Totals:</i> Single Particles | 0         | 0.00 | %<br>%  |  |

| Approved by: | Verified by: |  |
|--------------|--------------|--|
|--------------|--------------|--|