

## Batch:

21490035

1	robj
5	20ml Amber
	5

07 August 2018 12:55:06

## Date Time

Starting date:	07/08/2018	12:48:26
Ending date:	07/08/2018	12:55:06

## Counters:

INSPECTED	15		
ACCEPTED	3	20.00	%
REJECTED	9	60.00	%
TECHNICAL REJECT	3	20.00	%

## Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	1	6.67	%
Min Still particles	1	6.67	%
Tot. Still Particles	1	6.67	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	4	26.67	%
Flip-off	2	13.33	%
Aluseal Area	2	13.33	%
Crimping	1	6.67	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	4	26.67	%
Single Particles	3	20.00	%
Total Particles	4	26.67	%
	0	0.00	%
Fill Level	2	13.33	%

ST4	AVAILABLE		ON
Totals:	8	53.33	%
Single Particles	8	53.33	%
Total Particles	8	53.33	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL		ON
ST5 Totals:	AVAIL/		
	<b>AVAIL</b> / 9 9	ABLE	ON
Totals:	9	ABLE 60.00	ON %
<i>Totals:</i> Single Particles	9	ABLE 60.00 60.00	<i>ON</i> %

Approved by:	Verified by:	
--------------	--------------	--