

Batch:

21490035

User:	1	campbelld
Product:	3	50ml Production
Batch:	Challe	enge Set 1708238
Notes:		

24 August 2017 11:36:42

Date Time

 Starting date:
 24/08/2017
 11:32:05 AM

 Ending date:
 24/08/2017
 11:36:41 AM

Counters:

INSPECTED	15		
ACCEPTED	5	33.33	%
REJECTED	10	66.67	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	1	6.67	%
Min Still particles	1	6.67	%
Tot. Still Particles	1	6.67	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	3	20.00	%
Flip-off	1	6.67	%
Aluseal Area	2	13.33	%
Crimping	2	13.33	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	7	46.67	%
Single Particles	5	33.33	%
Total Particles	5	33.33	%
	0	0.00	%
Fill Level	2	13.33	%

ST4	AVAILABLE		ON
Totals:	6	40.00	%
Single Particles	6	40.00	%
Total Particles	6	40.00	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	40.00	ON %
	AVAIL/ 6 6		
Totals:	6	40.00	%
<i>Totals:</i> Single Particles	6 6	40.00 40.00	% %

Approved by:	Verified by:	
--------------	--------------	--