

| | | |
|----------|-------------|----------------|
| User: | 1 | robj |
| Product: | 3 | Production 5mL |
| Batch: | simon trial | |
| Notes: | | |
| | | |
| | | |

22 January 2018 16:34:07

Date Time

| | | |
|----------------|-------------------|------------|
| Starting date: | 22/01/2018 | 4:28:01 PM |
| Ending date: | 22/01/2018 | 4:34:07 PM |

Counters:

| | | | |
|-----------------|------------|-------|---|
| INSPECTED | 197 | | |
| ACCEPTED | 73 | 37.06 | % |
| REJECTED | 119 | 60.41 | % |
| TECNICAL REJECT | 5 | 2.54 | % |

Reject details:

| ST0 | AVAILABLE | | ON |
|----------------------|-----------|-------|----|
| <i>Totals:</i> | 91 | 46.19 | % |
| Height | 9 | 4.57 | % |
| Shape | 6 | 3.05 | % |
| Black Spot | 88 | 44.67 | % |
| Colour Rings | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| <i>Totals:</i> | 17 | 8.63 | % |
| Single Particles | 13 | 6.60 | % |
| Total Particles | 15 | 7.61 | % |
| | 0 | 0.00 | % |
| Fill Level | 3 | 1.52 | % |
| ST2 | AVAILABLE | | ON |
| <i>Totals:</i> | 24 | 12.18 | % |
| Single Particles | 17 | 8.63 | % |
| Total Particles | 23 | 11.68 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| <i>Totals:</i> | 3 | 1.52 | % |
| Still Particles | 2 | 1.02 | % |
| Tot. Still Particles | 2 | 1.02 | % |
| Charrings | 0 | 0.00 | % |
| Tot. Charrings | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|------------------|---------------|-------|-----|
| <i>Totals:</i> | 24 | 12.18 | % |
| Single Particles | 17 | 8.63 | % |
| Total Particles | 24 | 12.18 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST5 | NOT AVAILABLE | | OFF |
| <i>Totals:</i> | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |

| LKD counters | | | |
|----------------|---|------|----|
| LKD1 | | | ON |
| <i>Totals:</i> | 0 | 0.00 | % |
| LKD2 | | | ON |
| <i>Totals:</i> | 0 | 0.00 | % |

Approved by:

Verified by: