

Batch:

21490035

| User: | 9 | adaml |
|----------|---|-----------------|
| Product: | 1 | 10ml Production |
| Batch: | | |
| Notes: | | |
| | | |
| | | |

18 April 2018 08:37:28

Date Time

 Starting date:
 18/04/2018
 8:37:28 AM

 Ending date:
 18/04/2018
 8:37:28 AM

Counters:

| INSPECTED | 112 | | |
|------------------|-----|-------|---|
| ACCEPTED | 65 | 58.04 | % |
| REJECTED | 47 | 41.96 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|-------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 5 | 4.46 | % |
| Min Still particles | 4 | 3.57 | % |
| Tot. Still Particles | 5 | 4.46 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 33 | 29.46 | % |
| Flip-off | 0 | 0.00 | % |
| Aluseal Area | 0 | 0.00 | % |
| Crimping | 33 | 29.46 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 19 | 16.96 | % |
| Single Particles | 17 | 15.18 | % |
| Total Particles | 19 | 16.96 | % |
| | 0 | 0.00 | % |
| Fill Level | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|-----------|------|---------|
| Totals: | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | ABLE | ON |
| ST5 Totals: | AVAIL/ | 0.00 | ON % |
| | 0 0 | | |
| Totals: | 0 | 0.00 | % |
| <i>Totals:</i> Single Particles | 0 | 0.00 | % % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|