

Batch:

21490035

User:	1	yvie
Product:	3	50ml Production
Batch:	Challe	enge 1909258
Notes:		

26 September 2019 09:07:06

Date Time

Starting date:	26/09/2019	09:04:13
Ending date:	26/09/2019	09:07:06

Counters:

INSPECTED	13		
ACCEPTED	2	15.38	%
REJECTED	11	84.62	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	3	23.08	%
Min Still particles	3	23.08	%
Tot. Still Particles	3	23.08	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	3	23.08	%
Flip-off	3	23.08	%
Aluseal Area	0	0.00	%
Crimping	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	8	61.54	%
Single Particles	3	23.08	%
Total Particles	6	46.15	%
	0	0.00	%
Fill Level	2	15.38	%

ST4	AVAILABLE		ON
Totals:	4	30.77	%
Single Particles	4	30.77	%
Total Particles	4	30.77	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	ABLE 30.77	ON %
	AVAILA 4 4		
Totals:	4	30.77	%
<i>Totals:</i> Single Particles	4	30.77 30.77	% %

Approved by:	Verified by:	
--------------	--------------	--