

Batch:

21490035

1	mattjw
3	50ml Production
Potass	sium Chloride 1903208

22 March 2019 16:05:42

Date Time

 Starting date:
 22/03/2019
 14:10:45

 Ending date:
 22/03/2019
 16:05:42

Counters:

INSPECTED	3301		
ACCEPTED	3282	99.42	%
REJECTED	19	0.58	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0 NOT AVAILA		ILABLE	OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	0	0.00	%
Min Still particles	0	0.00	%
Tot. Still Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	3	0.09	%
Flip-off	0	0.00	%
Aluseal Area	3	0.09	%
Crimping	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	10	0.30	%
Single Particles	4	0.12	%
Total Particles	9	0.27	%
	0	0.00	%
Fill Level	1	0.03	%

ST4	AVAILABLE		ON
Totals:	6	0.18	%
Single Particles	2	0.06	%
Total Particles	6	0.18	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	0.09	ON %
	AVAILA 3 2		
Totals:	3	0.09	%
<i>Totals:</i> Single Particles	3 2	0.09 0.06	% %

Approved by:	Verified by:	
--------------	--------------	--