

User:	9	simonb
Product:	15	10ml update
Batch:	10ml update ts9 run4	
Notes:		

23 March 2018 13:21:55

Date Time

Starting date:	23/03/2018	1:17:40 PM
Ending date:	23/03/2018	1:21:55 PM

Counters:

INSPECTED	37		
ACCEPTED	27	72.97	%
REJECTED	10	27.03	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	6	16.22	%
Single Particles	4	10.81	%
Total Particles	6	16.22	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	10	27.03	%
Single Particles	7	18.92	%
Total Particles	10	27.03	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	9	24.32	%
Single Particles	7	18.92	%
Total Particles	9	24.32	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			OFF
<i>Totals:</i>	0	0.00	%
LKD2			OFF
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: